

References

- Abele U. (1987). Produktqualität und Düngung – mineralisch, organisch, biologisch-dynamisch. Schriftenreihe of the German Ministry for Nutrition, Agriculture and Forestry, Reihe A: Angewandte Wissenschaft (Heft 345). Landwirtschaftsverlag, Münster-Hiltrup, Germany.
- Acepsa. (1983). Analyses, Conseils et Production SA. Laboratoire de chimie et microbiologie Technologie et production alimentaires, Switzerland.
- Alföldi, T. et al. (1995). DOC – trial: Long-term effects of biodynamic bio-organic and conventional farming systems on soil conditions yield and product quality. In: Proceedings of the Concerted Action AIR3-CT94-1940 Fertilization Systems in Organic Farming, ed J. Raupp, Institute of Biodynamic Research Darmstadt, p. 3-15.
- AFSSA. (2003). Agence Française de Sécurité Sanitaire des Aliments; rapport sur l'évaluation nutritionnelle et sanitaire des aliments issus de l'agriculture biologique, July 2003, p. 126 – 127.
- Alroe H.F. & Kristensen E.S. (2001). Values in organic farming and their implications. Workshop on Organic farming system thinking and the future. International Agricultural Center, Wageningen.
- Anonymous. (2000). Castor bean, castor oil plant.
- Artsen Krant. (2003). "Lack of iodine: an urgent problem in Belgium". Belgian medical doctors newspaper; October 2003.
- Bell, F.R. (1995). Perception of sodium and sodium appetite in farm animals. Sodium in agriculture, Chalcombe Publications, Kent, p. 82-90.
- Berensten, P.B.M., Giesen, G.W.J. & Scheiders, M.M.F.H. (1998). Conversion from conventional to biological dairy farming: Economical and environmental consequences at farm level. *Biological Agriculture and Horticulture* (16):311-328.
- Bergström, L. (1988). Leaching of ¹⁵N-labelled nitrate fertilizer applied to barley and a grass ley. *Acta Agric. Scand.* 37:199-206.
- Bergström, L. & Kirchmann, H. (2002). Leaching of nitrogen from manures and mineral fertilizers. Symposium no. 57, paper no. 1732, 17th WCSS, 14-21 August 2002, Thailand.
- Berner, A., Scherrer, D. & Alföldi, Th. (1997). Stickstoffeffizienz von unterschiedlich aufbereitete

- Misten in einer Ackerbaufruchtfolge auf Lösslehm. In: Köpke, U. und Eisele, J.-A. (Hrsg): Beiträge zur 4. Wissenschaftstagung zum Ökologischen Landbau. 3. bis 4. März 1997 an der Rheinischen Friedrich-Wilhelms-Universität, Bonn. Verlag Dr. Köster, Berlin, p. 136-142.
- Bernier, R. (1991). Respuesta de las praderas al encalado. En : Acidez y encolado de suelos en la Región de los Lagos. INIA, Est. Experimental Remehue, Boletín Serie Remehue No 15:113-115.
- Berry, P.M., Sylvester-Bradley, R., Phillips, L., Hatch, D.J., Cuttle, S.P., Rayns, F.W. & Gosling, P. (2002). Is the productivity of organic farms restricted by the supply of available nitrogen? *Soil Use and Management* 18:248-255.
- Bhogal, A. et al. (2001). Evaluation of two N cycle models for the prediction of N-mineralization from grassland soils in the UK. *Soil Use and management* 17:163-172.
- Biedermann, R. & Leu D. (2003). Die Rolle der Landwirtschaft im Stickstoffhaushalt. Schriftenreihe der FAL 125(43):35 – 41.
- Black, C.A. (1968). *Soil-Plant relationships*. J. Wiley. 792 p.
- Blankenau, Klaus. (2000). Einfluss der Stickstoffimmobilization auf die Verfügbarkeit von Dungerstickstoff für Getreide. Dissertation Universität Hannover, Institut für Pflanzenernährung. Verlag Grauer, Beuren, Stuttgart, Germany, 151 p.
- Bosch, M. et al. (1983). Effect of long-term fertilizing with different forms of nitrogen fertilizer on pH, humic fractions, biological activity and nitrogen dynamics in an arable brown earth, M. *Zeitschrift für Pflanzenernährung und bodenkunde*, 146:6, 714-724: fig., 6 tab, : 23 ref.
- Bøckman, O.C. et.al. (1991). *Landbruk og gjødsel*, Norsk Hydro, Norway.
- Brady, N.C. & Weil, R.R. (1999). *The nature and properties of soils*. 12th edition. New Jersey, USA, Prentice-Hall, Inc. 881 p.
- Calderbank, G. (1963). Iodine. *Animal Health, Production and Pasture*. Ed. A.N. Worden, K.C. Sellars, and D. E. Tribe, Longmans, Green and Co. London, p. 681-736.
- Callimachi, R. (2003). *Cow Parts Used in Candles, Soaps Recalled*, Associated Press, Dec. 27.
- Cavero, J., Plant, R.E., Shennan, C. & Friedman, D.B. (1997). The affect of nitrogen source and crop rotation on the growth and yield of processing tomatoes. The Netherlands, Kluwer Academic Publishers. *Nutrient Cycling for Agroecosystems* 42:271-282.
- Chadwick, D. R., John, F., Pain, B. F., Chambers, B. & Williams, J. (2000a). Plant uptake of nitrogen from the organic nitrogen fraction of animal manures: a laboratory experiment. *Journal of Agricultural Science* 134:159-168.
- Chadwick, D., John, F., Pain, B., Chamber, B. & Williams, J. (2000b). Mineralization of organic nitrogen from animal manures. *Fertilization for sustainable plant production and soil fertility*. – 11th World Fertilizer Congress of CIEC.
- Chiy, P.C. & Phillips, C.J.C. (1995a). Sodium in ruminant nutrition, production, reproduction and health. *Sodium in agriculture*, Chalcombe Publications, Kent, p. 107-144.
- Chiy, P.C. & Phillips, C.J.C. (1995b). Sodium in forage crops. *Sodium in agriculture*, Chalcombe Publications, Kent, p. 43-69.
- CMC-Engrais Comité Marché commun de l'industrie des engrais azotés et phophatés, Brussels. (1986). Note de synthèse sur des engrais phopshatés et le cadmium. GB/JAL.
- Commission of the European Communities. (2001). Regulation of the european parliament and

of the council relating to fertilizers.

- Cooke, G.W. (1982). Fertilizing for maximum yield. 3rd ed. London, UK, Granada Publishing Limited. 465 p.
- CSIR. (1972). The wealth of India. Raw materials. Vol. 9. Publications & Information Directorate, Council for Scientific and Industrial Research, New Delhi. 472 p.
- Van Dijk, W. (1999). Adviesbasis voor de bemesting van akkerbouw en vollegronds-groentege-
wassen. PAGV-publicatie nr. 95.
- Dijkshoorn, W., Lathwell, D.J. & De Witt, C.T. (1968). Temporal changes in carboxylate content
of ray grass with stepwise change in nutrition. *Plant and Soil* 29:369-390.
- Dodd, M. et al. (1994). Application of the British National Vegetation Classification to the com-
munities of the Park Grass Experiment through time. *Folia Geobotanica & Phytotaxonomica*,
29(3):321-334.
- Doran, J.W. & Smith, M.S. (1987). Organic matter management and utilization of soil and fertil-
izer nutrients. In Follet, R.F. & others. Soil fertility and organic matter as critical components
of production systems. Madison, WI, USA, SSSA Special Publication No. 19:53-72.
- Dowdell, R.J. & Webster, C.P. (1980). A lysimeter study using nitrogen-15 on the uptake of fertil-
izer nitrogen by perennial ryegrass swards and losses by leaching. *J. Soil Sci.* 31:65-75.
- Dowdell, R.J., Webster, C.P., Hill, D. & Mercer, E.R. (1984). A lysimeter study of the fate fertil-
izer nitrogen in spring barley crops grown on shallow soil overlying chalk: crop uptake and
leaching losses. *J. Soil Sci.* 35:169-181.
- Dressel, J., Weigelt, W. & Mockel, D. (1992). Langjährige untersuchungen über die wirkung von
stickstoff aus mineraldüngung und stallmist (lysimetersuche). *Agribiol. Res.* 45:177-185.
- Dubois D., Gunst L., Stauffer W., Mäder P., Fliessbach A., Niggli U. & Fried P.M. (2003). Com-
paraison à long terme de systèmes de culture biologiques et conventionnels. *Les Cahiers
de la FAL* 125(45):5-11.
- Dubois, D., Gunst L., Stauffer, W., Mäder P., Fliessbach, A., Niggli, U. & Fried, P.M. (2002). Erträge
und Bodenparameter während 21 Jahren biologischer und konventioneller Bewirtschaftung
im DOK-Versuch. *FAL Schriftenreihe*.
- Edwards, C.A. & Lofty, J.R. (1982). Nitrogenous fertilizers and earthworm populations in Agri-
cultural soils. *Soil Biology and Biochemistry* 14:515-521.
- Eltun, R. (1996). Apelsvoll cropping system experiment. III. Yield and grain quality of cereals.
Norwegian Journal of Agricultural Science (10):7-22.
- EPA U.S. (2002a). Assessment of Perchlorate in Fertilizers. American Chemical Society books,
in press.
- Ericksen, George E. (1981). Geology and origin of the Chilean nitrate deposits. US Department
of Interior, Geological Survey Professional Paper 1188, 37 p.
- EU. (2003). Commission Finally Proposes Limits on Cadmium in Fertilizers, Republished with
permission of The Ends ENDS Report from an article originally published August 2003.
- Fertilizer International. (1999). Heavy metals and by-product disposal. Suitable cases for treat-
ment. *Fertilizer International* (368):51-53.
- FiBL. (2003). Hilfstoffliste für den biologischen Landbau.
- Finck, A. (1979). Dünger und Düngung. Grundlagen und Anleitung zur Düngung der Kulturp-
flanzen. Verlag Chemie, Weinheim, New York, 438 p.

- Fliessbach, A., Mäder, P. & Niggli, U. (2000b). "Mineralization and microbial assimilation of ¹⁴C-labeled straw in soils of organic and conventional agricultural systems", *Soil Biology & Biochemistry* 32(6):1131-1139.
- Fließbach, A., Mäder, P. (2000a): Microbial biomass and size-density fractions differ between soils of organic and conventional agricultural systems. *Soil Biology & Biochemistry* 32(6):757-768.
- Frick, R. Menzi, H. & Katz, P. (1996). Pertes d'ammoniac après l'épandage d'engrais de ferme. Différences très nettes en fonction des conditions. *Rapports FAT*, 1996, no 486, 12p.
- Garner, H.V. & Dyke, G.V. (1968). *The Broadbalk yields*. Harpenden, Hert, UK. Rothamsted Experimental Station, Report for 1968, Part 2:34-35.
- Garret, D.E. (1983). *Chemistry and Origin of the Chilean Nitrate Deposits*. Sixth International Symposium on Salt, 1983 – Vol. I Salt Institute.
- Gill, K. Jarvis, S.C. & Hatch, D.J. (1995). Mineralization of nitrogen in long-term pasture soils: effects of management. *Plant and Soil* 172:153 – 162.
- Glendining, M.J., Powlson, D.S., Poulton, P.R., Bradbury, N.J., Palazzo, D. & Li, X. (1996). The effects of long-term applications of mineral nitrogen fertilizer on soil nitrogen in the Broadbalk Wheat Experiment. *Journal of Agriculture Science* , 127:347-363.
- Gorbanov et al. (1981). Effect of nitrogen upon the participation of micro-flora in the decomposition of composted white pine barks (*Pinus sylvestris* L.), *Pochvoznanie I Agrokhimiya*, 16:2, 80-86: 11.
- Gros, A. (1979). *ENGRAIS Guide pratique de la fertilization*, 7th edition. Firmin-Didot, Paris; ISBN 2-7196-0013-X.
- Habets, F. (1998). *NDICEA u.i. :Model description*. Eigen uitgave Habets, Heerlen.
- Habets, F. & Oomen, G.J.M. (1993). *Modellering van stikstofdynamiek binnen gewas rotaties in de biologische landbouw*. Landbouw Universiteit Wageningen.
- Hadas, A. et al. (1996). *Mineralization of composted manure and microbial dynamics in soil as affected by long-term nitrogen management*, Institute of soils and Water, A.R.O., the Volcani Center, Bet Dagan 50250, Israel, Published in *Soil Biology and Biochemistry*, page 733-738.
- Hagel, I. (2000a). *Auswirkungen einer Schwefeldüngung auf Ertrag und Qualität von Weizen schwefelmangelgefährdeter Standorte des Ökologischen Landbaus*. *Landbauforsch Völkenrode SH 220*, ISBN 3-933140-42-0.
- Haglund, S., Ebbesvik, M. & Hansen, S. (2000). Is ley production in organic farming limited by sub-optimum sulphur supply? *Proc 13th IFOAM Scientific Conference*, Basel, Switzerland, p 31.
- Halberg, N. & Kristensen, I.S. (1997). Expected crop yield loss when converting to organic dairy farming in Denmark. *Biological agriculture and Horticulture* (14):25-41.
- Hampe, T. & Marschner, H. (1982). Effect of sodium on morphology, water relations and net photosynthesis in sugar beet leaves. *Z. Pflanzenphysiol.* 108:151-162.
- Haneklaus, S., Hagel, I., Marten Paulsen, H. & Schnug, E. (2002). Objectives of plant nutrition research in organic farming. *Landbauforschung Völkenrode* 2(52)61-68.
- Hansen, S. & Engelstad, F. (1999). Earthworm populations in a cool and wet district as affected by tractor traffic and fertilization. *Applied Soil Ecology* 13:237-250.

- Hartz, T.K., Mitchell, J.P. & Giannini, C. (2000). Nitrogen and carbon mineralization dynamics of manures and composts. *Hortscience* 35(2):209-212.
- Hatch, D.J., Jarvis, S.C. & Reynolds, S.E. (1991). An assessment of the contribution of net mineralization to N cycling in grass swards using a field incubation method. *Plant and Soil* (138):23-32.
- Havlin, J.L., Beaton, J.D., Tisdale, S.L. & Nelson, W.L. (1999). Soil fertility and fertilizers. An introduction to nutrient management. 6th ed. New Jersey, USA, Prentice-Hall Inc. p. 108-109.
- Hawker, J.S., Marschner, H. & Donwton. (1974). Effect of sodium and potassium on starch synthesis in leaves. *Aust. J. Plant Physiol.* 1:491-501.
- Haynes, R.J. & Swift, R.S. (1990). Stability of soil aggregates in relation to organic constituents and soil water content. *Journal of Soil Science* 41:73-84.
- Haynes, R.J., Swift, R.S. & Stephen, R.C. (1991). Influence of mixed cropping rotations pasture-arable on organic matter content, water stable aggregations and clod porosity in a group of soils. *Soil and Tillage Research* 19, p. 77-87.
- Hebeisen, T., Ballmer, T., Torche, J.M. & Reust, W. (2003). Etude variétale pour la culture biologique des pommes de terre: le point de la situation. In: Station Fédérale de Recherches en Agro-écologie et Agriculture, Zurich-Reckenholz, Switzerland Les Cahiers de la FAL 45:30-36.
- Heintze, P. (1992). Sodium fertilization improves the milk performance. *Landwirtschaftliches Wochenblatt. Organ des Landesbauernverbandes – in Baden Wuerttemberg (Germany)*, 159(12):24.
- Hemken, R.W. (1970). Iodine. *J. Dairy Res.* 58:1138-43.
- Hilfiker, J. (1998). Ecologie et résultats économiques de l'agriculture. *Rapports FAT*, no 518, 16p.
- IFDC & UNIDO. (1998). Fertilizer Manual, United Nations Industrial Development Organization (UNIDO) and International Fertilizer Development Center (IFDC). Published by Kluwer Academic Publishers, The Netherlands.
- IFOAM. (2002). IFOAM Basic Standards for Organic Production and Processing, approved by the IFOAM General Assembly, Victoria, Canada, August 2002.
- Jeanros, B., Sahli, A. & Jacot, P. (2003). Une fumure organique a-t-elle le même effet qu'une fumure minérale sur une prairie permanente? *Revue suisse Agric.* 35(4):155-160.
- Jennings, D.H. (1976). The effects of sodium chloride in higher plants. *Biological Reviews*, 51:453-486.
- Johnston, A.E. (1991). Potential changes in soil fertility from arable farming including organic systems. *The Fertilizer Society, proceedings no. 306.*
- Johnston, A.E., Goulding, K.W.T., & Poulton, P.R. (1986). Soil acidification during more than 100 years under permanent grassland and woodland at Rothamsted. *Soil Use and Management* 2(1):3-10.
- Jürgens-Gschwind, S. & Jung, J. (1977). Ergebnisse von Lysimeter Untersuchungen in der Grossanlage Limburgerhof. Die wichtigsten Befunde aus 50 Jahren Versuchstätigkeit, 1927 bis 1977. *Landwirtschaftliche Versuchsstation der BASF Aktiengesellschaft, Limburgerhof*
- Kaffka, S. & Koepf, H.H. (1989). A case study in the nutrient regime in sustainable farming.

- Biological Agriculture and Horticulture (6):89-106.
- Kali und Salz, Agricultural advisory Department. Leaflet : SOP, More than just potash.
- Kemp, A. & Guerink, J.H. (1966). New information about sodium requirements and sodium supply for dairy cows under practical conditions. *Tijdschrift Diergeneeskunde*, 91:580-613.
- Kirkby, E.A. (1968). Influence of ammonium and nitrate nutrition on the cation-anion balance and nitrogen and carbohydrate metabolism of white mustard plants grown in dilute nutrient solutions. *Soil Science*, 105:133-141.
- Kirkby, E.A., Armstrong, M.J. & Milford, F.J. (1987). The absorption and physiological roles of P and K in the sugar beet plant with reference to the functions of Na and Mg. In International Institute for Sugar Beet Research, 50th Winter Congress. Rue Montoyer 47, B-1040 Brussels, Belgium; p. 1-23.
- Kirchmann, H. & Bergström, L.F. (2001). Do organic farming practices reduce nitrate leaching? *Communications in Soil Science and Plant Analysis* 32.
- Kirkby, E.A. & Knight, A.H. (1977). The influence of the level of nitrate nutrition on ion uptake and assimilation, organic acid accumulation and cation-anion balance in whole tomato plants. *Plant Physiology* 60:349-353.
- Kladivko, E. (2003). Proceedings of the Crop Protection Technology Conference, January 7-8, p. 56 – 61, University of Illinois, USA.
- Koller, M., Peter, M. & Berner, A. (1999). N-Mineralisierung organischer Handelsdünger und ihr Effekt auf den Ertrag von Kopfsalat und Blumenkohl im Frühjahr. In: Hoffmann, H. und Müller, S. (eds.): Beiträge zur 5. Wissenschaftstagung zum Ökologischen Landbau 'Vom Rand zur Mitte'. 23.-25. Februar 1999. Humboldt Universität zu Berlin. Verlag Dr. Köster, Berlin. P. 105-108.
- Lampkin, N. (2002). Organic Farming. 104 Valley Road, Ipswich IP1 4PA, United Kingdom, Old Pond Publishing. 747 p.
- Lehmann, H. & Candinas, T. (2003). Stickstoff-Haushalt in der Landwirtschaft: Ziele, Massnahmen and Handlungsmöglichkeiten. *Schriftenreihe der FAL* 125(43):42 – 46.
- Lehr, J.J. (1953). Sodium as a plant nutrient. *J. Sci. Food agric.* 4:460-468.
- Lehr, J.J., Grashuins, J. & van Koetsveld, E.E. (1963). Effect of fertilization on mineral-element balance in grassland. *Netherlands .Journal of Agricultural Science* 11:23-27.
- Lijmbach, D. & Thornton, C. (2000). Phosphate removal and phosphate recovery: Towards Sustainable Development. Centre Européen d'Etudes des Polyphosphates COPPERAS.
- Lunt. (1966). Sodium. In: H.D. Chapman, Ed., *Diagnostic criteria for plants and soils*. University of California, Division of agricultural Sciences, p. 409-432.
- MAFF. (1994). Fertilizer Recommendations for Agricultural and Horticultural Crops, Reference Book 209. HMSO, London. In: Chambers, B.J., et al. Heavy metal loadings from animal manures to agricultural land in England and Wales.
- Marschner, H. (1971). Why can sodium replace potassium in plants. *Proc. 8th Colloq. Int. Potash Inst. Bern*, p. 50-63.
- Marschner, H. (1986). Mineral nutrition of higher plants. Academic Press. 674 p.
- Marschner, H. (2002). Mineral nutrition of higher plants. 2nd ed. London, UK, Academic Press

Limited, 889 p.

- McAndrew, D.W. & Malhi, S.S. (1992). Long-term N fertilization of a solonchic soil: effects on chemical and biological properties. *Soil Biology and Biochemistry*, 24:619-623.
- McGill, W.B. & Myers, R.J.K. (1987). Control on dynamics of soil and fertilizer nitrogen. In: Follett, R.F., Stewart, J.W.B. & C.V. Cole. Eds. *Soil fertility and organic matter as critical components of production systems*. Madison, Wisconsin, USA, Soil Sci. Soc. of Am. Inc. & Am. Soc. of Agronomy. p. 73-99.
- Mengel, K. (1982). Factors and processes affecting potassium requirements of crops. *Potash Review Subject*, 16, No. 9, 12 pp.
- Menzi, H. & Kessler, J. (1999). Heavy metal content of manures in Switzerland. Proc. RAMIRAN-conference, Rennes (France).
- Menzi, M. & Anders, M. (2003). Essais variétaux de céréales dans les conditions de l'agriculture biologique. *Les cahiers de la FAL* 125(45):24-29.
- Mitsubishi Co. (2001). History of Chilean Nitrate in Japan imported by Hokuren. Personal communication.
- Mortvedt, J.J. & Beaton, J.D. (1995). Heavy metals and radionuclide contaminants in phosphate fertilizers; Ed. Tiessen H; *Phosphorous in global environment*, Chapter 6; John Wiley & Sons
- Mueller, G. (1968). Genetic histories of nitrate deposits from Antarctica and Chile. *Nature* (219):1131-1134.
- Murphy, P. (2003). Soil utilization of manure. Iowa University, MWPS (MidWest Plan Service).
- National Organic Standards Board Technical Advisory Panel Review. (2002). Chilean Nitrate for general use as an adjuvant in crop production. USA, University of California Sustainable Agriculture Research and Education Program, USDA National Organic Program. 11 p.
- Navarro-González, R., Rainey, F.A. & McKay et al. (2003). Mars-like soils in the Atacama Desert, Chile, and the dry limit of microbial life. *Science*, Volume 302, November 2003.
- Nieberg, H. & Schulze Pals, L. (1996). Profitability of farms converting to organic farming systems in Germany. *Empirical results of 107 farms*. *Farm Management* (9):218 – 227.
- NMI. (2000). *Meststoffen. Nutriënten Management Instituut*, Wageningen; The Netherlands, Elsevier bedrijfsinformatie bv, Doetinchem, 1192p.
- Nolte, C. & Werner, W. (1994). Investigations on the nutrient cycle and its components of a biodynamically-managed farm. *Biological Agriculture and Horticulture* 10:235-254.
- NOSB. (1997). downloaded from <http://extension.agron.iastate.edu/organicag/default.htm>
- Oberholzer, H.R. & Mäder, P. (2003). Qualité du sol en culture biologique et en production intégrée. *Les Cahiers de la FAL* 125(45):60-65.
- Phosphorous and Potassium. (1996). Exploitation of Israel's P and K resources. *The journal of the world Phosphates and Potash Industries* No . 206:25-32.
- Phosphorous and Potassium. (1997). Potash beneficiation and processing. *The journal of the world Phosphates and Potash Industries* No . 212:32 – 38
- Phosphorous and Potassium. (1998). Jordan phosphate mines company profile, building a strong future. *The journal of the world Phosphates and Potash Industries* No . 214:3-24.
- Porter, P.M., Huggins, D.R., Perillo, C.A., Quiring, S.R., & Crookston, R.K. (2003). Organic and

- other management strategies with two- and four-year crop rotations in Minnesota. Madison, Wisconsin, *Agronomy Journal* 95:233-244.
- Potter, D.A., Bridges, B.L. & Gordon, F.C. (1985). The effect of N-fertilization on earthworm and micro-arthropod populations in Kentucky bluegrass turf. *Agronomy Journal* (77):367-372.
- Raupp, J. (1995). Soil parameters of the K-trial. In: Main effects of various organic and mineral fertilization on soil organic matter turnover and plant growth. Proceedings of the Concerted Action AIR3-CT94-1940, Fertilization Systems in Organic Farming, ed J. Raupp, Institute of Biodynamic Research Darmstadt p. 22-27.
- Revue suisse d'agriculture. (1987). Publiée par la Station Fédérale de Recherches Agronomiques de Changins et le Service Romand de Vulgarization Agricole sous le patronage de la Fédération des Sociétés d'Agriculture de la Suisse Romande, 19(6).
- Revue suisse d'agriculture. (1994). Publiée par la Station Fédérale de Recherches Agronomiques de Changins et le Service Romand de Vulgarization Agricole sous le patronage de la Fédération des Sociétés d'Agriculture de la Suisse Romande, 26(4).
- Revue suisse d'agriculture. (1998). Publiée par la Station Fédérale de Recherches Agronomiques de Changins et le Service Romand de Vulgarization Agricole sous le patronage de la Fédération des Sociétés d'Agriculture de la Suisse Romande, 30(1).
- Revue suisse d'agriculture. (1999). Publiée par la Station Fédérale de Recherches Agronomiques de Changins et le Service Romand de Vulgarization Agricole sous le patronage de la Fédération des Sociétés d'Agriculture de la Suisse Romande, 31(6).
- Revue suisse d'agriculture. (2001). Publiée par la Station Fédérale de Recherches Agronomiques de Changins et le Service Romand de Vulgarization Agricole sous le patronage de la Fédération des Sociétés d'Agriculture de la Suisse Romande, 33(3).
- Riga, A., Francois, E., Destain, J.P., Guiot, J. & Oger, R. (1988). Fertilizer nitrogen budget of $\text{Na}^{15}\text{NO}_3$ and $(^{15}\text{NH}_4)_2\text{SO}_4$ split-applied to winter wheat in micro-plots on a loam soil. *Plant and Soil* 106:201-208.
- Ryser J-P., Walther U., & Flisch, R. (2001). Données de base pour la fumure des grandes cultures et des herbages. *Revue suisse Agric.* 33(3):80 p.
- Ryser, J.P., Pittet, J.-P. & Schwarz, J.J. (1998). Effets d'un fumier traditionnel et d'un fumier composté sur les cultures et les pertes par drainage. Résultats de dix ans d'expérimentation en lysimètres. *Revue suisse d'agriculture* 30(1):11-16.
- Scharpf, H.C. (1991). Nutrient Influences on the Nitrate Content of Vegetables. The Fertilizer Society, Proceedings No. 313.
- Schellner, G., et al (1971). Die Abhängigkeit der Milchleistung und Milchzusammensetzung von der Natriumversorgung. *Archiv für Experimentelle Veterinär Medizin*, 25:823-827.
- Schärer, J. (1987). Klärschlamm in Vergleich zu Handelsdüngern, Schadstoffgehalt vergleichbar. *Schweizer Bauer*, Swiss weekly agricultural newspaper, 4 April 1987.
- Schnug, E. (1991). *Das Raps-Handbuch*. 5. Aufl, Bad-Homburg : ELANCO, p 72-87.
- Shen, S.M., Hart, P.B.S., Powlson, D.S. & Jenkinson, D.S. (1989). The nitrogen cycle in the Broadbalk wheat experiment: ^{15}N -labelled fertilizer residues in the soil and in the soil microbial biomass. *Soil Biol. Biochem.* 21:529-533.
- Shepherd, M.A., Harrison, R. & Webb, J. (2002). Managing soil organic matter – implications for soil structure on organic farms. *Soil Use and Management* 18:284-292.

- Small Planet Foods. (2002). Personal communication. National Organic Standards Board Members. USDA, Washington, DC. 4p.
- Smith, S.E. & Aines, P.D. (1959). Salt requirements of dairy cows. *Cornell University Agricultural Experimental Agriculture* 6:183-188.
- Steffen, P. (2003). Preface *Les cahiers de la FAL 45*, Federal Research Station for Agroecology and Agriculture (FAL Reckenholz), p.3.
- Stopes, C., Lord, E.I., Phillips, L., & Woodward, L. (2000). Nitrate leaching from organic farms and conventional farms following best practice. *Soil Use and Management* 18:256-263.
- Suárez, D. (1989). Evaluación del salitre sódico como fertilizante en la producción de hortalizas para exportación en fresco vía marítima. Pontificia Universidad Católica de Chile, Facultad de Agronomía. (Informe, 51p.).
- Swiss toxicological information center. (2003); <http://www.toxi.ch/start.html>
- TFI. (2002). The Fertilizer Institute Comments on the U.S. Environmental Protection Agency's Perchlorate Environmental Contamination: Toxicological Review and Risk Characterization, NCEA-1-0503, January 16, 2002, External Review Draft.
- Vanlauwe, et al., (2002). Integrated plant nutrient management in Sub-Saharan Africa: from concept to practice. Cabi Publishing 2002, - Legumes : When and where an option ? No Panacea for Poor Tropical West African Soils and Expensive Fertilizers p. 285.
- Thurston, J.M., Williams, E.D. & Johnston, A.E. (1976). Modern developments in an experiment on permanent grassland started in 1856: effects of fertilizers and lime on botanical composition and crop and soil analyses.
- Tisdale, S.L., Nelson, W.L. & Beaton, J.D. (1985). *Soil fertility and fertilizers*. 4th ed. New York, USA, Macmillan Publishing Company. 754 p.
- Tisdale, S.L., Nelson, W.L. & Beaton, J.D. (1993). *Soil fertility and fertilizers*. 5th ed. New York, USA, Macmillan Publishing Company. 754 p.
- Titulaer, H.H.H. (1994). Stikstofbijmestsystemen. In : A.J. Haverkort, K.B. Zwart, P.C. Struik, and P.H.M. Dekker (eds) *Themadag Stikstofstromen in de vollegrondsgroenteteelt*, PAGV, themaboekje nr. 18, 9 december 1994:89-102.
- Torstensson, G. (1998). Nitrogen delivery and utilization by subsequent crops after incorporation of leys with different plant composition. *Biological Agriculture and Horticulture* 16:129-143.
- Tudge, C. (2003). *So Shall We Reap; How everyone who is liable to be born in the next ten thousand years could eat very well indeed; and why, in practice, our immediate descendants are likely to be in serious trouble*. Published by the Penguin Group.
- Ullrich, W.R. (1987). Nitrate and ammonium uptake in green algae and higher plants. Mechanisms and relationship with nitrate metabolism. p. 32-38. In W.R. Ullrich et al. (ed.) *Inorganic nitrogen metabolism*. Springer-Verlag, Berlin.
- Underwood, E.J. (1971). *Trace Elements in Human and Animal Nutrition*. Academic Press, New York.
- Underwood, E.J. (1981). *The Mineral Nutrition of Livestock*. Commonwealth Agricultural Bureau, London.
- UNEP. (2001). *Environmental Aspects of Phosphate and Potash Mining*. United Nations Environment Program. International Fertilizer Industry Association (IFA), Paris, France.
- USDA, National Organic Program, section 205.602. (2003). From : www.ams.usda.gov/nop.

- Van Burg, P.F.J., Holmes, M.R.J. & Dilz, K. (1983). Sugar beet, nitrogen supply from fertilizers and manures. LBNM, The Netherlands, 73p.
- Van Cleemput, O. (1999). N-cycle in agricultural ecosystems. Workshop N-dynamics in Intensive and Extensive Agriculture, Cooperation Program between Flanders and South-Africa; K.U. Leuven, Faculty of Agricultural and Applied Biological Sciences, Laboratory of Soil Biology and Soil Fertility.
- Velthof, G.L., van Erp, P.J. & Steevens, J.C.A. (1998). Meststoffen. Nitrogen release from green manure corps and crop residues. Need to refine nitrogen recommendations. Meststoffen 1997/1998.
- Vlassak, K. & Agenbag, G.A. (1999). Environmental problems due to large amounts of animal manure applied to agricultural land. Workshop N-dynamics in intensive and extensive agriculture.
- Von Pettersson, B.D. (1977). Vergleichende Untersuchungen von konventionellem und biologisch-dynamischen Anbau mit besonderer Berücksichtigung von Erträgen und Qualitäten. Lebendige Erde, 5:175-184.
- Vuilliod, P., Mercier, E. & Ryser, J.-P. (2003). Bilan de 40 ans d'un essai portant sur différentes fumures organiques (Changins 1963-2003). Station fédérale de recherches en production végétale de Changins, CH 1260-Nyon. Not yet published.
- Walther, U. (1990). Ertrag und qualität von Kartoffeln in Abhängigkeit des Nmin-Gehaltes des Bodens sowie des Zeitpunktes und der Höhe der Stickstoffdüngung. I. N-min Gehalte des Bodens und Ertrag. Landwirtschaft Schweiz 3,323-3.
- Walther, U. (2001). Teneurs du sol en azote minéral selon des systèmes de production. Schriftenreihe der FAL 123(36):24-27.
- Walther, U., Schubiger, F.X. & Jäggli, F. (1996). N-Aufnahme durch Kartoffeln und Nmin-Gehaltes des bodens. Agrarforschung 3, 61-4.
- Westerman, R.L. editor. (1990). Soil testing and plant analysis. 3th ed. Madison, Wisconsin, USA. Soil Science Society of America, Inc. 784 p.
- Whitlock, R.H., Kessler, M.J. & Tasker, J.B. (1975). Salt (sodium) deficiency in dairy cattle: Polyuria and polydipsia as prominent clinical features. Cornell Veterinarian, 65:512-526.
- Woese, K., Lange, D., Boess, C. & Bögl, K.W. (1997). A comparison of organically and conventionally grown foods- results of a review of the relevant literature. Journal of the Science of Food and Agriculture. 74(3):281-293
- Woese, K., Lange, D., Boess, C. & Bögl, K.W. (1995). Ökologisch und konventionell erzeugte Lebensmittel im Vergleich –Eine Literaturstudie-. BgVV-Hefte 4/1995. Bundesinstitut für gesundheitlichen Verbraucherschutz und Veterinärmedizin, Berlin.
- Wyss, E., Tamm, L., Maurer, V. & Alföldi, T.H. (1998). Hilfsstoffliste für den biologischen Landbau 1998, Ausgabe Schweiz. FiBL Frick, 20-21.
- Zanen, M., Koopmans, C., Postma, R. & van Loon, T. (2003). Optimalisering van de stikstofvoorziening in de biologische groententeelt. Louis Bolk Institute, Nutrient Management Institute, Wageningen, April 2003.
- Zihlmann, U., Weisskopf, P., & Walther, U. (2003). Dynamique de l'azote dans les sols de cultures biologiques. Les Cahiers de la FAL 125(45):55-59.